



Global Business & Operations : Shimao Plaza, Xinbei District, Changzhou, Jiangsu, China 213022
Supply Chain Headquarters : Building 4, Veken Industrial Internet Park, Ningbo, China
Email: info@elecduraparts.com
Phone/WhatsApp: +86 18915027366

CONTENS

NO.	CAR MODEL	
1	BENA	1
2	CATEROILLAR	2
3	Ford	4
4	HINO	5
5	HONDA	7
6	CHRYSLER	8
7	GM	9
8	ISUZU	10
9	IVECO	12
10	JOHN DEERE	13
11	KOMATSU	15
12	MITSUBISHI	16
13	RENAULT	17
14	SCANIA	19
15	SUZUKI	20
16	TOYOTA	21
17	VOLVO	26
18	TM Series	28
19	Others	30
20	Universal	31
21	Farm&Off Road	36
22	and more	



Mercedes Benz Sprinter

OE Numbers:

Type: DENSO 10S17C

Grooves: PV6

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 12V



Mercedes Benz Actros PV9

OE Numbers:

A5412300111

Type: DENSO 10PA15C

Grooves: PV9

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 24V



Mercedes Benz Actros PV11

OE Numbers:

5412301111

Type: DENSO 10PA15C

Grooves: PV11

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 24V



Mercedes Benz Actros 140

OE Numbers:

DCP17186

Type: DENSO 10S15C

Grooves: PV8

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 24V



Mercedes Benz Track 161

OE Numbers:

Type: DENSO 10S15C

Grooves: PV8

Dia.: 161mm

Refrigerant: R134a

Voltage of Coil: 24V



Mercedes Benz Track 145

OE Numbers:

Type: DENSO 10S15C

Grooves: PV8

Dia.: 145mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar 320

OE Numbers:

DCP99807

Type: DENSO 10S17C

Grooves: AO

Dia.: 135mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar 330

OE Numbers:

DCP99800

Type: DENSO 10S17C

Grooves: PV8

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar PS300C

OE Numbers:

8991

Type: SANDEN 7H13

Grooves: A2

Dia.: 125mm

Refrigerant: R134a

Voltage of Coil: 12V



Caterpillar

OE Numbers:

4301;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4302;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 152mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4487;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4468;

Type: SANDEN 7H15

Grooves: A1

Dia.: 138mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4250;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 152mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4479;

Type: SANDEN 7H15

Grooves: A1

Dia.: 152mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4095;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 133mm

Refrigerant: R134a

Voltage of Coil: 24V



Caterpillar

OE Numbers:

4698;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V



Caterpillar

OE Numbers:

4498;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V



Ford KA(RU8) 2008-2016

OE Numbers:

Type: DENSO 10SRE13C

Grooves: PV6

Dia.: 100mm

Refrigerant: R134a

Voltage of Coil: 12V



Ford Ranger

OE Numbers:

1715093;


Type: DELPHI HS13N

Grooves: PV7

Dia.: 109mm

Refrigerant: R134a

Voltage of Coil: 12V



Ford Transit V348

OE Numbers:

Type: DENSO 10S20D

Grooves: PV7

Dia.: 109mm

Refrigerant: R134a

Voltage of Coil: 12V



Ford Ranger 2.5

OE Numbers:

Type: HALLA HS15

Grooves: A1

Dia.: 143mm

Refrigerant: R134a

Voltage of Coil: 12V



Hino Fuso 2005

OE Numbers:

MK447458

Type: DENSO 10S13C

Grooves: A1

Dia.: 136mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino

OE Numbers:

447220-5543

Type: DENSO 10S15C

Grooves: PV6

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino

OE Numbers:

Type: DENSO 10S15C

Grooves: B1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino

OE Numbers:

Type: DENSO 10S15C

Grooves: B1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino MEGA

OE Numbers:

JK447220-4013

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Hino Fuso

OE Numbers:

Type: DENSO 10S13C

Grooves: A1

Dia.: 133mm

Refrigerant: R134a

Voltage of Coil: 12V



Honda CRV

OE Numbers:

DCP40004

Type: DENSO 10SR15C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Honda Accord 2.4

OE Numbers:

38810RAAA01;

Type: DENSO 10S17C

Grooves: PV7

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Honda CR-V

OE Numbers:

DCP40003

Type: DENSO 10S17C

Grooves: PV7

Dia.: 115mm

Refrigerant: R134a

Voltage of Coil: 12V



Honda Accord

OE Numbers:

DCP40002

Type: DENSO 10S15C

Grooves: PV6

Dia.: 150mm

Refrigerant: R134a

Voltage of Coil: 12V



Honda Accord 2.2

OE Numbers:

Type: DENSO 10PA17C

Grooves: PV6

Dia.: 159.5mm

Refrigerant: R134a

Voltage of Coil: 12V



Honda Accord 3.0

OE Numbers:

Type: DENSO 10S17C

Grooves: PV6

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Chrysler 300C 05-12

OE Numbers:

DCP06020

Type: DENSO 10S17C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Dodge Caravan

OE Numbers:

890169;

Type: DENSO 10SR17C

Grooves: PV6

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Dodge Neon 03-05

OE Numbers:


Type: DENSO 10S15C

Grooves: PV4

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Chevrolet Trailblazer

OE Numbers:

52122482;

Type: DELPHI SP17

Grooves: PV6

Dia.: 109mm

Refrigerant: R134a

Voltage of Coil: 12V



Chevrolet Cruze

OE Numbers:

Type: DENSO 10S15C

Grooves: PV6

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Chevrolet Aveo

OE Numbers:


Type: DENSO 10S15C

Grooves: PV6

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Chevrolet Sail

OE Numbers:

Type: DENSO 10S15C

Grooves: PV4

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Chevrolet Captiva 3.2

OE Numbers:


Type: DELPHI SP17

Grooves: PV6

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Isuzu D-MAX A1

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 125mm

Refrigerant: R134a

Voltage of Coil: 12V



Isuzu D-MAX A2

OE Numbers:

Type: DENSO 10S15C

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V



Isuzu DECA

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu DECA

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu Forward Truck Giga Borneo

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu DECA 360

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu Truck

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu Giga

OE Numbers:

447190-5210

Type: DENSO 10S15C

Grooves: A1

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu

OE Numbers:

8115;

Type: SANDEN 7H15

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu

OE Numbers:

8116;

Type: SANDEN 7H15

Grooves: B1

Dia.: 146mm

Refrigerant: R134a

Voltage of Coil: 24V



Isuzu

OE Numbers:

8169;

Type: SANDEN 7H15

Grooves: B1

Dia.: 138mm

Refrigerant: R134a

Voltage of Coil: 24V



Iveco Daily 07-16

OE Numbers:

DCP12012

Type: DENSO 10S17C

Grooves: PV4

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Iveco Daily

OE Numbers:

DCP12003

Type: DENSO 10PA17C

Grooves: PV4

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Iveco

OE Numbers:

DCP12009

Type: DENSO 10PA17C

Grooves: PV4

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere 2266

OE Numbers:

Type: DENSO 10PA15C

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere

OE Numbers:

DCP99504

Type: DENSO 10PA15C

Grooves: A2

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere

OE Numbers:

Type: DENSO 10PA15C

Grooves: PV8

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere

OE Numbers:

AH169875

Type: DENSO 10PA17C

Grooves: PV8

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere

OE Numbers:

RE55422


Type: DENSO 10PA17C

Grooves: A1

Dia.: 146mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere

OE Numbers:

DCP99523

Type: DENSO 10PA17C

Grooves: PV8

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 24V



John Deere

OE Numbers:

DCP99520

Type: DENSO 10SRE18C

Grooves: PV8

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



John Deere

OE Numbers:

RE284680

Type: DENSO 10SRE18C

Grooves: PV8

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Komatsu PC200-7

OE Numbers:

DCP99821

Type: DENSO 10S15C

Grooves: B1

Dia.: 152mm

Refrigerant: R134a

Voltage of Coil: 24V



Komatsu PC200-6

OE Numbers:

OK24261K00A


Type: DENSO 10PA15C

Grooves: B1

Dia.: 152mm

Refrigerant: R134a

Voltage of Coil: 24V



Komatsu PC120

OE Numbers:

Type: DENSO 10K17A(10PA17C modified version)

Grooves: B1

Dia.: 145mm

Refrigerant: R134a

Voltage of Coil: 24V



Mitsubishi Fuso/Canter

OE Numbers:

MK353901

Type: DENSO 10S11C

Grooves: A1

Dia.: 121mm

Refrigerant: R134a

Voltage of Coil: 24V



Mitsubishi FUSO

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 142mm

Refrigerant: R134a

Voltage of Coil: 24V



Mitsubishi Pajero

OE Numbers:

DCP45004

Type: DENSO 10S17C

Grooves: A1

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Mitsubishi Jeep V32

OE Numbers:

Type: DENSO 10PA15C

Grooves: A1

Dia.: 143mm

Refrigerant: R134a

Voltage of Coil: 12V



Mitsubishi Jeep V31

OE Numbers:

Type: DENSO 10PA15C

Grooves: PV4

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 12V



Mitsubishi Pajero V73

OE Numbers:

Type: DENSO 10S17C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Renault Truck

OE Numbers:

DCP23538

Type: DENSO 10PA15C

Grooves: A1

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Renault

OE Numbers:

8095;

Type: SANDEN 7H15

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Renault

OE Numbers:

8131;

Type: SANDEN 7H15

Grooves: PV5

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Renault

OE Numbers:

8188;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Renault

OE Numbers:

8192;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 149mm

Refrigerant: R134a

Voltage of Coil: 24V



Renault

OE Numbers:

8081;

Type: SANDEN 7H15

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Scania

OE Numbers:

8067;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Scania

OE Numbers:

8290;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Scania

OE Numbers:

8275;

Type: SANDEN 7H15

Grooves: PV10

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 24V



Scania

OE Numbers:

8068;

Type: SANDEN 7H15

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Scania

OE Numbers:

8067 R1234yf;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 119mm

Refrigerant: R1234yf

Voltage of Coil: 24V



Suzuki Carry

OE Numbers:

Type: DENSO 10S11C

Grooves: PV4

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Suzuki Liana

OE Numbers:

Type: DENSO 10S13C

Grooves: PV4

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Suzuki Grand Vitara

OE Numbers:

Type: DENSO 10S13C

Grooves: PV4

Dia.: 110mm

Refrigerant: R134a

Voltage of Coil: 12V



Suzuki Vitara 2015

OE Numbers:

XI447260-9400;

Type: DENSO 10SRE13C

Grooves: PV4

Dia.: 100mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Vios

OE Numbers:

88320-00020;447180-4880;

Type: DENSO 10S11C

Grooves: PV4

Dia.: 145mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Vios

OE Numbers:

447190-6890;

Type: DENSO 10S11C

Grooves: PV4

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Vios

OE Numbers:

88310-BZ020;88310-BZ030

Type: DENSO 10S11C

Grooves: PV4

Dia.: 105mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Vios

OE Numbers:

88320-0D020

Type: DENSO 10S11C

Grooves: PV4

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Vios

OE Numbers:

Type: DENSO 10S11C

Grooves: PV6

Dia.: 105mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Corolla Altis

OE Numbers:

88320-02120;88310-02200;78391

Type: DENSO 10S15L

Grooves: PV6

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Altis 1.8T

OE Numbers:

Type: DENSO 10S15C

Grooves: PV6

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Wish

OE Numbers:

Type: DENSO 10S15C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Altis 1.6T

OE Numbers:

Type: DENSO 10S15C

Grooves: PV6

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Hilux Lan125 16-18

OE Numbers:

88310-0KC60

Type: DENSO 10S15C

Grooves: A1

Dia.: 133mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Hilux Revo DSL 1997-2009

OE Numbers:

Type: DENSO 10S15C

Grooves: A1

Dia.: 143mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Hilux

OE Numbers:

447190-2650

Type: DENSO 10S11C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Hilux (Opposite Direction)

OE Numbers:

447260-8020;88310-0K110

Type: DENSO 10S11C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Hilux Revo

OE Numbers:

Type: DENSO 10S11E

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Avanza

OE Numbers:

447280-1831

Type: DENSO 10SE13C

Grooves: PV6

Dia.: 105mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota RAV4

OE Numbers:

447220-3930

Type: DENSO 10S15C

Grooves: PV7

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Avanza Per Myvi Lagi Best 1.5

OE Numbers:

447260-8281

Type: DENSO 10S15C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Fortuner 3.0

OE Numbers:

88320-35730;447220-4713

Type: DENSO 10S15C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Camry 2.4

OE Numbers:

88310-33220;88310-48060;88320-06080;

Type: DENSO 10S17C

Grooves: PV7

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Prado 4000

OE Numbers:

88320-6A010;88320-6A011

Type: DENSO 10S17C

Grooves: PV7

Dia.: 111mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Super Grandia

OE Numbers:

88320-6A040


Type: DENSO 10S17C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Lexus IS

OE Numbers:

DCP51000

Type: DENSO 10S15C

Grooves: PV4

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Altis

OE Numbers:

Type: DENSO 10PA15C

Grooves: PV6

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Pickup

OE Numbers:

Type: DENSO 10PA15C

Grooves: A1

Dia.: 137mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota

OE Numbers:

DCP50073


Type: DENSO 10PA15C

Grooves: PV4

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota

OE Numbers:

Type: DENSO 10PA17C

Grooves: B1

Dia.: 140mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Land Cruiser URJ200

OE Numbers:

88320-6A330


Type: DENSO 10SR19C

Grooves: PV9

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Toyota Land Cruiser

OE Numbers:

Type: DENSO 10SR19C

Grooves: PV8

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Volvo

OE Numbers:

4324;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 176mm

Refrigerant: R134a

Voltage of Coil: 24V



Volvo

OE Numbers:

8045;

Type: SANDEN 7H15

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Volvo

OE Numbers:

8044;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Volvo

OE Numbers:

8003;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Volvo

OE Numbers:

4326;


Type: SANDEN 7H15

Grooves: PV8

Dia.: 176mm

Refrigerant: R134a

Voltage of Coil: 12V



Volvo

OE Numbers:

8112;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Volvo

OE Numbers:

8080;

Type: SANDEN 7H15

Grooves: PV6

Dia.: 124mm

Refrigerant: R134a

Voltage of Coil: 12V



Volvo

OE Numbers:

4286;

Type: SANDEN 7H15

Grooves: PV8

Dia.: 128mm

Refrigerant: R134a

Voltage of Coil: 12V



Refrigerator Car(R404a)

OE Numbers:


Type: VALEO TM16

Grooves: A2

Dia.: 135mm

Refrigerant: R404a

Voltage of Coil: 12V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM16

Grooves: A2

Dia.: 135mm

Refrigerant: R404a

Voltage of Coil: 24V



Refrigerator Car(R404a)

OE Numbers:


Type: VALEO TM16

Grooves: PV8

Dia.: 119mm

Refrigerant: R404a

Voltage of Coil: 12V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM16

Grooves: PV8

Dia.: 119mm

Refrigerant: R404a

Voltage of Coil: 24V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM21

Grooves: A2

Dia.: 145mm

Refrigerant: R404a

Voltage of Coil: 12V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM21

Grooves: A2

Dia.: 145mm

Refrigerant: R404a

Voltage of Coil: 24V

TM Series



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM21

Grooves: PV8

Dia.: 137mm

Refrigerant: R404a

Voltage of Coil: 12V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM21

Grooves: PV8

Dia.: 137mm

Refrigerant: R404a

Voltage of Coil: 24V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM21

Grooves: B1

Dia.: 150mm

Refrigerant: R404a

Voltage of Coil: 24V



Refrigerator Car(R404a)

OE Numbers:

Type: VALEO TM21

Grooves: B2

Dia.: 150mm

Refrigerant: R404a

Voltage of Coil: 24V



Refrigerator Car(R404a)

OE Numbers:

Type: SANDEN 507

Grooves: A1

Dia.: mm

Refrigerant: R404a

Voltage of Coil: 12V



Refrigerator Car(R404a)

OE Numbers:

Type: SANDEN 7H15

Grooves: A2

Dia.: 135mm

Refrigerant: R404a

Voltage of Coil: 24V



Land Rover

OE Numbers:

JPB101330

Type: DENSO 10PA17C

Grooves: PV7

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Mazda 6

OE Numbers:

Type: DELPHI SP13

Grooves: PV6

Dia.: 124mm

Refrigerant: R134a

Voltage of Coil: 12V



Pump W/O Clutch(Japan)

OE Numbers:

88320-1252084;2010538;58341

Type: DENSO 10PA15C

Grooves: /

Dia.: /

Refrigerant: /

Voltage of Coil: /



Pump W/O Clutch(Japan)

OE Numbers:

Type: DENSO 10PA15C

Grooves: /

Dia.: /

Refrigerant: /

Voltage of Coil: /



Pump W/O Clutch(Euro)

OE Numbers:

Type: DENSO 10PA17C

Grooves: /

Dia.: /

Refrigerant: /

Voltage of Coil: /



Pump W/O Clutch(Euro)

OE Numbers:

Type: DENSO 10PA17C

Grooves: /

Dia.: /

Refrigerant: /

Voltage of Coil: /



Pump W/O Clutch

OE Numbers:

Type: DENSO 10P13C

Grooves: /

Dia.: /

Refrigerant: /

Voltage of Coil: /



Pump W/O Clutch

OE Numbers:

Type: DENSO 10P15C

Grooves: /

Dia.: /

Refrigerant: /

Voltage of Coil: /



Universal

OE Numbers:

Type: SANDEN 505

Grooves: PV8

Dia.: 123mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 505

Grooves: PV8

Dia.: 123mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 505

Grooves: A2

Dia.: 125mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 505

Grooves: A2

Dia.: 125mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 507

Grooves: A2

Dia.: 125mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 507

Grooves: A2

Dia.: 125mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:


Type: SANDEN 507

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 507

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 5H14

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H16

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H16

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 12V

Universal



Universal

OE Numbers:

Type: SANDEN 5H16

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 5H16

Grooves: PV8

Dia.: 119mm

Refrigerant: R134a

Voltage of Coil: 12V



Universal

OE Numbers:

Type: SANDEN 7H13

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Universal

OE Numbers:

Type: SANDEN 7H15

Grooves: A2

Dia.: 132mm

Refrigerant: R134a

Voltage of Coil: 24V



Fendt

OE Numbers:

DCP99518

Type: DENSO 10S15C

Grooves: A1

Dia.: 130mm

Refrigerant: R134a

Voltage of Coil: 12V



Agco

OE Numbers:

DCP99519

Type: DENSO 10S17C

Grooves: PV6

Dia.: 151mm

Refrigerant: R134a

Voltage of Coil: 12V



Claas

OE Numbers:

DCP23539

Type: DENSO 10S15C

Grooves: PV4

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Claas

OE Numbers:

DCP23541


Type: DENSO 10S15C

Grooves: PV4

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Fendt 924 Deutz

OE Numbers:

DCP99519

Type: DENSO 10S17C

Grooves: PV8

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V



Claas

OE Numbers:

Type: DENSO 10PA15C

Grooves: PV8

Dia.: 120mm

Refrigerant: R134a

Voltage of Coil: 12V

Farm and Off Road



Farming Machine

OE Numbers:

Type: DENSO 10S10A

Grooves: A1

Dia.: 116mm

Refrigerant: R134a

Voltage of Coil: 12V

AND MORE. . .
