

AUTOMOTIVE A/C

PRESSURE SWITCH

[OE reference](#) | [technical specifications](#) | [categorized model index](#)



Reliable switching solutions for automotive air conditioning systems.



Contents

Vehicle application index

Application	Pages	Application	Pages
Acura/Honda	01	Infiniti	08
Acura/Lexus/Toyota	01	Infiniti/Nissan	09
Audi	01-02	Jaguar	09
Audi/Volkswagen	02	Lexus/Toyota	09
BMW	02-03	Mercedes-Benz	09-10
Chevrolet	03	Mitsubishi	10
Chrysler/Jeep	03	Nissan	10-11
Citroen/Peugeot	04	Opel	11-12
Dodge/Jeep	04	Opel/Peugeot	12
Fiat	04	Peugeot	12
Ford	05-07	Renault	12-13
Ford/Mazda	07	Saab	13
GM	07	Suzuki	13
GM/Kia	07	Toyota	13-14
GM/Volvo	08	Volkswagen	14
Honda	08	Volvo	14-15
Honda/Lexus/Toyota	08	Universal / Unspecified Models	15-61



ACURA/HONDA

Model: 1041A 1041B 1041C

Honda/Acura

OE	80440-8R3-K01;8-52481-408-0
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



ACURA/HONDA

Model: 1043A 1043B 1043C

Honda/Acura

OE	80440-SM4-003;8-97095-6590
Thread	M4-003; 3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a




ACURA/HONDA

Model: 1045A 1045B 1045C

Honda/Acura

OE	80440-SS0-901;880440-SK3-901
Thread	M11-P1.0 Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



ACURA/HONDA

Model: 1064

Honda/Acura

OE	80440-SZ3-003
Thread	M11-P1.0 Male
Pressure	HP:3.14MPa OFF MP:1.52MPa ON LP:0.196MPa OFF
Refrigerant	HFC-R-134a




ACURA/HONDA

Model: 1073 1073A

Honda/Acura

OE	80440-SD0-003
Thread	3/8-24 UNF Male
Pressure	HP:26.5kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12,(A) type for R-134a





ACURA/LEXUS/TOYOTA

Model: 1063

Acura/Lexus/Toyota

OE	80440-SZ5-003/8-24 UNF Male8645-20050
Thread	003/8-24 UNF Male;M11-P1.0 Male
Pressure	HP:3.14MPa OFF MP:1.52MPa OFF LP:0.196MPa OFF
Refrigerant	HFC-R-134a




ACURA/LEXUS/TOYOTA

Model: 1067

Acura/Lexus/Toyota

OE	88645-20040
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² OFF MP:15.5kg/cm² OFF LP:2.1kg/cm² OFF
Refrigerant	HFC-R-134a



AUDI

Model: 1114B

Audi A4 949>96

OE	8DO 959 482
Thread	M10-P1.25 Female
Pressure	HP:30kg/cm² OFF MP:17kg/cm² ON
Refrigerant	-




AUDI

Model: 1071

AudiA4/A6/A8

OE	8D0 959 482B
Thread	M10-P1.25 Female
Pressure	HP:2.95MPa OFF MP:1.52MPa ON LP:0.12MPa OFF
Refrigerant	HFC-R-134a



AUDI/VOLKSWAGEN

Model: 1176

VW/Audi

OE	893959482A
Thread	7/16-20 UNF Female
Pressure	OFF:32kg/cm²(DIFF) ON:16.8kg/cm²
Refrigerant	-




AUDI/VOLKSWAGEN

Model: 1115A

VW/GolfIII.T4 PassatIV / PoloIV VentolIII Audi A397

OE	1HO 959 139B
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF MP:16kg/cm² ON LP:1.2kg/cm² OFF
Refrigerant	-



BMW

Model: 1119

BMW

OE	E34 1990-Seire 5
Thread	7/16-20 UNF Female
Pressure	HP:32.3kg/cm² OFF MP:19.5kg/cm² ON LP:2.8kg/cm² OFF
Refrigerant	-



BMW

Model: 1154B

BMW

OE	64-53-1379688
Thread	-
Pressure	OFF:32kg/cm² ON:22kg/cm²
Refrigerant	-



BMW

Model: 1515

BMW

OE	64538362055
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF MP:18kg/cm² ON LP:1.2kg/cm² OFF
Refrigerant	R-134a




BMW

Model: 1518

BMW

OE	64538391639
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF MP:20kg/cm² ON LP:1.2kg/cm² OFF
Refrigerant	R-134a



BMW

Model: 1155

BMW / E30 Serie3

OE	64-53-1-386-971
Thread	-
Pressure	OFF:32kg/cm² ON:22kg/cm²
Refrigerant	-



BMW

Model: 1157

BMW / E30 Serie3

OE	64538390971
Thread	7/16-20 UNF Female
Pressure	HP:30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	-




BMW

Model: 1158

BMW / E32-Serie 7/E34-Serie5

OE	64-53-1-390-070
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF MP:17kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	R-134a




BMW

Model: 1160

BMW / E34-Serie 5 E32-Serie 7

OE	6453 1 390 070
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF MP:17kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	R-134a



BMW

Model: 1159

BMW / E36-Serie 3

OE	64-53-8-390-582
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-134a



CHEVROLET

Model: 1075A

Chevrolet/GM Truck

OE	-
Thread	7/16-20 UNF Female
Pressure	ON:2.9kg/cm² OFF:1.4kg/cm²
Refrigerant	R-134a



CHEVROLET

Model: 1077

Chevrolet/GM Truck

OE	15-2647
Thread	7/16-20 UNF Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF)
Refrigerant	R-12



CHEVROLET

Model: 1078

Chevrolet/GM Truck

OE	15-2962
Thread	M12-P1.5 Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF)
Refrigerant	R-134a




CHRYSLER/JEEP

Model: 1202

CHRYSLER JEEP 6145E 103900

OE	-
Thread	M10-P1.25 Female
Pressure	HP:37kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	-



CITROEN/PEUGEOT

Model: 1112A

Citroen/Peugeot 405-605-89<

OE	9603763080
Thread	7/16-20 UNF Female
Pressure	HP:26Bar OFF MP:19Bar ON LP:2.0Bar OFF
Refrigerant	-




CITROEN/PEUGEOT

Model: 1095A

peugeot/Citroen

OE	9614390780
Thread	7/16-20 UNF Female
Pressure	HP:26Bar OFF MP:17Bar ON LP:2.0Bar OFF
Refrigerant	-



CITROEN/PEUGEOT

Model: 1096B

peugeot/Citroen

OE	9603308080
Thread	7/16-20 UNF Female
Pressure	HP:26Bar OFF MP:19Bar ON LP:2.0Bar OFF
Refrigerant	-




DODGE/JEEP

Model: 1511

DODGE TRUCKS/JEEP

OE	-
Thread	M12-P1.5 Female
Pressure	ON:2.7kg/cm² OFF:1.7kg/cm²
Refrigerant	-




FIAT

Model: 1520

46802575/Fiat/Punto Lancia/Kappa

OE	-
Thread	M10-P1.0 Male
Pressure	HP:2.8Bar OFF MP:20Bar ON MP:15Bar ON LP:2.4Bar OFF
Refrigerant	R-134a




FIAT

Model: 1107

Fiat Tipo/Alfa Romeo

OE	46413455 7741521
Thread	7/16-20 UNF Female
Pressure	HP:28Bar OFF MP:15.2Bar ON LP:2.0Bar OFF
Refrigerant	-




FIAT

Model: 1113

Fiat-Alfa/Romeo/Lancia

OE	5963617
Thread	7/16-20 UNF Female
Pressure	HP:25Bar OFF MP:16Bar ON LP:2.0Bar OFF
Refrigerant	-



FIAT

Model: 1100

Fiat/Punto Lancla/Kappa

OE	46476438
Thread	7/16-20 UNF Female
Pressure	MP:20ON
Refrigerant	R-134a



FORD

Model: 1504
FORD CARS 05 3W1-Z19E561AA

OE	-
Thread	M12-P1.5 Female
Pressure	ON:2.0kg/cm ² OFF:1.3kg/cm ²
Refrigerant	-



FORD

Model: 1501
FORD CARS 05 YC1Z-19E561-AAA

OE	-
Thread	M12-P1.5 Female
Pressure	ON:0.17kg/cm ² OFF:0.7kg/cm ²
Refrigerant	-



FORD

Model: 1510
FORD CARS 7042 CD4 W61503

OE	-
Thread	M10-P1.25 Female
Pressure	ON:24.5kg/cm ² OFF:35kg/cm ²
Refrigerant	-



FORD

Model: 1503
FORD F6RZ19E561AA 95BW19E561AA

OE	-
Thread	M12-P1.5 Female
Pressure	ON:2.8kg/cm ² OFF:1.6kg/cm ²
Refrigerant	-



FORD

Model: 1502
FORD TRUCKS 05 YC2Z-19E561-AAA

OE	-
Thread	M12-P1.5 Female
Pressure	ON:2.8kg/cm ² OFF:1.3kg/cm ²
Refrigerant	-



FORD

Model: 1111
Ford

OE	LNA7655AA
Thread	M12-P1.25 Female
Pressure	HP:30Bar OFF MP:17.5Bar ON LP:2.4Bar OFF
Refrigerant	-



FORD

Model: 1179A
Ford


OE	F5CH-19D594-AA(9926)
Thread	M10-P1.25 Female Female
Pressure	HP:17.5kg/cm ² ON HP:23.0kg/cm ² ON
Refrigerant	-



FORD

Model: 1179C
Ford

OE	F4TH-19D594-AA(9413)
Thread	M10-P1.25 Female Female
Pressure	HP:18.9kg/cm ² ON HP:22.3kg/cm ² ON
Refrigerant	-



FORD

Model: 1179D

Ford

OE	FACH-19D594-AA(9732)
Thread	-
Pressure	HP:16.1kg/cm² ON HP:22.8kg/cm² ON
Refrigerant	-



FORD

Model: 1179F

Ford

OE	F42H-19D594-AA(9937)
Thread	-
Pressure	HP:17.6kg/cm² ON HP:17.1kg/cm² ON
Refrigerant	-




FORD

Model: 1179G

Ford

OE	-
Thread	-
Pressure	HP:17.5kg/cm² ON
Refrigerant	-



FORD

Model: 1163

Ford 90>

OE	90GG19D566AA
Thread	7/16-20 UNF Female
Pressure	HP:30.6kg/cm² OFF MP:18.5kg/cm² ON LP:1.2kg/cm² OFF
Refrigerant	R12



FORD

Model: 1164

Ford Drieres 94>

OE	93GW19D566AA
Thread	7/16-20 UNF Female
Pressure	HP:30.6kg/cm² OFF MP:18.5kg/cm² ON LP:1.2kg/cm² OFF
Refrigerant	R-134a



FORD

Model: 1179B

Ford Mondeo MM10-P1.25 Female Female

OE	F58H-19D594-AA(0001)
Thread	M10-P1.25 Female Female
Pressure	HP:19.2kg/cm² ON HP:21.1kg/cm² ON
Refrigerant	-



FORD

Model: 1166A 1166B 1166C

Ford/20986

OE	-
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



FORD

Model: 1076

Ford/Mondeo

OE	YH-552;YH-601
Thread	M12-P1.5 Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF)
Refrigerant	R-134a



FORD

Model: 1079B

Ford/Mondeo

OE	FSVH-19E561AA
Thread	M12-P1.5 Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF)
Refrigerant	R-134a



FORD

Model: 1080

Ford/Mondeo

OE	YH-513
Thread	7/16-20 UNF Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF)
Refrigerant	R-12



FORD

Model: 1079A

Ford/Mondeo / 95BW19E561AA

OE	F6RZ19E561AA
Thread	M12-P1.5 Female
Pressure	ON:2.8kg/cm² OFF:1.6kg/cm²(DIFF)
Refrigerant	R-134a



FORD

Model: 1184A

SW 11172C /6L3419D594AA Ford Cars

OE	-
Thread	M10-P1.25
Pressure	OFF:35kg/cm² ON:21kg/cm²
Refrigerant	-



FORD/MAZDA

Model: 1054A 1054B 1054C

RC.205.032 Ford/Mazda

OE	-
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



FORD/MAZDA

Model: 1055A 1055B 1055C

SW 9935C SW 11217C 20953/789917015 Ford/Mazda

OE	-
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



GM

Model: 1081

General Motors

OE	619902-507
Thread	7/16-20 UNF Female
Pressure	ON:3.3kg/cm² OFF:1.9kg/cm²(DIFF)
Refrigerant	R-12



GM/KIA

Model: 1009

WUT.4205.0659 General Motors-Kia

OE	-
Thread	3/8-24 UNF Female
Pressure	OFF:2.1kg/cm²
Refrigerant	R-12



GM/VOLVO

Model: 1082

General Motors/Volvo

OE	15-1122,15-2151;15-2209; 1259519
Thread	7/16-20 UNF Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²
Refrigerant	R-12



GM/VOLVO

Model: 1083

General/Motors/Volvo

OE	15-2960
Thread	M12-P1.5 Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²
Refrigerant	R-134a




HONDA

Model: 1048A 1048B 1048C

Honda

OE	80440-sn7-901
Thread	M11-P1.0 Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



HONDA

Model: 1047A 1047B 1047C

KAPO.BM1047A 90P0162 Honda

OE	-
Thread	M1047; M11-P1.0 Male
Pressure	HP (A):17kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



HONDA

Model: 1801A B C

SW 11646C SKSFP-1490030 /RC.200.225
RC.200.122 Honda Civic

OE	-
Thread	M11-P1.0 Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



HONDA/LEXUS/TOYOTA

Model: 1062

Honda/Lexus/Toyota

OE	8864560030; 80440-SIK-003/8-24 UNF Male8645-60030
Thread	003/8-24 UNF Male; M11-P1.0 Male
Pressure	HP:3.14MPa OFF MP:1.52MPa ON LP:0.196MPa OFF
Refrigerant	HFC-R-134a



INFINITI

Model: 1161

Infinity

OE	92137-10Y00
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² OFF MP:15.5kg/cm² ON LP:1.8kg/cm² OFF
Refrigerant	-




INFINITI

Model: 1162

Infinity

OE	92137-1E400
Thread	3/8-24 UNF Male
Pressure	HP:2.7kg/cm² OFF MP:1.6kg/cm² ON LP:0.28kg/cm² OFF
Refrigerant	-




INFINITI/NISSAN

Model: 1072A 1072B

Nissan/Infiniti

OE	92137-4P200
Thread	3/8-24 UNF Male
Pressure	HP (A):2.85(B):2.65MPa OFF MP (A):1.72(B):1.52MPa ON LP (A):0.176(B):0.176MPa OFF
Refrigerant	-




JAGUAR

Model: 1101

Jaguar

OE	JLA7658AA
Thread	7/16-20 UNF Female
Pressure	HP:30Bar MP:21.5Bar LP:2.4Bar
Refrigerant	R-134a




JAGUAR

Model: 1118

Jaguar

OE	LNA7655 AA
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF LP:8.5kg/cm² OFF
Refrigerant	-





JAGUAR

Model: 1117

Jaguar / LNA7656 AA

OE	-
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF LP:2kg/cm² OFF
Refrigerant	-



JAGUAR

Model: 1120

Jaguar / LNA7656 AA

OE	-
Thread	M10-P1.5 Male
Pressure	HP:28kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	-



LEXUS/TOYOTA

Model: 1065

Toyota/Lexus

OE	88645-48020-80440-SIK-003
Thread	M11-P1.0 Male
Pressure	HP:3.14MPa OFF MP:1.77MPa ON LP:0.196MPa OFF
Refrigerant	HFC-R-134a




MERCEDES-BENZ

Model: 1023

MBZ0041539828# 3/8-24 UNF Male

OE	-
Thread	3/8-24 UNF Male
Pressure	HP:26.5kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12



MERCEDES-BENZ

Model: 1153

Mercedes-Benz

OE	004 820 6710 002 820 5210
Thread	3/8-24 UNF Male
Pressure	ON:20.5kg/cm² OFF:15.5kg/cm²
Refrigerant	R-134a




MERCEDES-BENZ

Model: 1156

Mercedes-benz

OE	004 820 6810
Thread	3/8-24 UNF Male
Pressure	ON:15.5kg/cm² OFF:10.5kg/cm²
Refrigerant	R-134a



MITSUBISHI

Model: 1042A 1042B 1042C

20965 Mitsubishi

OE	-
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a




MITSUBISHI

Model: 1050

Mitsubishi

OE	MB568179
Thread	3/8-24 UNF Male
Pressure	HP:26.5kg/cm² LP:2.2kg/cm²
Refrigerant	R-12 R-134a



MITSUBISHI

Model: 1051

Mitsubishi

OE	MR190232
Thread	M11-P1.0 UNF Male
Pressure	HP:30.5kg/cm² LP:1.8kg/cm²
Refrigerant	R-134a



NISSAN

Model: 1056

2010 Nissan 3/8-24 UNF Male

OE	-
Thread	3/8-24 UNF Male
Pressure	HP:27/kg LP:2.0/kg
Refrigerant	R-134a



NISSAN

Model: 1123A 1123B 1123C

Nissan

OE	92137-60A10
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):32kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



NISSAN

Model: 1124A 1124B 1124C

Nissan

OE	92137-60A1
Thread	7/16-20 UNF Female
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):32kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



NISSAN

Model: 1126

Nissan

OE	92137-86G00;92137-01G01
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	-



NISSAN

Model: 1127

Nissan

OE	92225-17C11;92225-17C10
Thread	3/8-24 UNF Male
Pressure	HP:29kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	-



NISSAN

Model: 1128

Nissan

OE	92225-01E01;92225-01E00
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	-



NISSAN

Model: 1167A 1167B 1167C

Nissan /SW 11219C

OE	92137-40F00
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



NISSAN

Model: 1179E

Nissan Quest 93-97

OE	FACH-19D594-AA(9732)
Thread	-
Pressure	HP:14.5kg/cm² ON HP:22.9kg/cm² ON
Refrigerant	-




NISSAN

Model: 1165A 1165B 1165C

SW 11218C/PS 2011 Nissan

OE	-
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



OPEL

Model: 1098A

Opel

OE	507773900
Thread	7/16-20 UNF Female
Pressure	HP:28Bar OFF MP:15.2Bar ON LP:3.5Bar OFF
Refrigerant	-




OPEL

Model: 1099B

Opel

OE	507773900
Thread	7/16-20 UNF Female
Pressure	HP:30Bar OFF MP:17.5Bar ON LP:1.2Bar OFF
Refrigerant	-



OPEL

Model: 1097

Opel Vectra-B

OE	90606752
Thread	M10-P1.25 Female
Pressure	HP:24Bar OFF MP:24Bar ON LP:17Bar OFF
Refrigerant	-



OPEL

Model: 1089

Opel/Astra

OE	90451440
Thread	M10-P1.25 Female
Pressure	ON:15.5kg/cm² OFF:13.5kg/cm²(DIFF)
Refrigerant	-




OPEL/PEUGEOT

Model: 1094

Opel peugeot 1990

OE	9614390780
Thread	3/8-24 UNF Female
Pressure	HP:30Bar OFF MP:19Bar ON LP:2.0Bar OFF
Refrigerant	-




PEUGEOT

Model: 1523

Cotroen Peugeot

OE	9603308080
Thread	-
Pressure	HP:26Bar OFF MP:19Bar ON LP:2.0Bar OFF
Refrigerant	-




PEUGEOT

Model: 1521

Peugeot 405

OE	-
Thread	7/16-20 UNF Female
Pressure	HP:32Bar OFF MP:18Bar ON LP:2.3Bar OFF
Refrigerant	-



PEUGEOT

Model: 1524

Peugeot 405

OE	-
Thread	7/16-20 UNF Female
Pressure	HP:32Bar OFF MP:18Bar ON LP:2.3Bar OFF
Refrigerant	-



RENAULT

Model: 1516

Renault

OE	7700837219
Thread	7/16-20 UNF Female
Pressure	HP:28kg/cm² OFF MP:18kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	R-134a



RENAULT

Model: 1519

Renault

OE	7700837219
Thread	7/16-20 UNF Female
Pressure	HP:28kg/cm² OFF MP:18kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	R-134a



RENAULT

Model: 1519B

Renault

OE	7700837219
Thread	-
Pressure	HP:28kg/cm² OFF MP:18kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	R-134a



RENAULT

Model: 1806E

Renault

OE	-
Thread	7/16-20 UNF Female
Pressure	ON:22kg/cm² OFF:15kg/cm²
Refrigerant	R-134a



SAAB

Model: 1151B

Saab

OE	4319948,4071965
Thread	3/8-24 UNF Male
Pressure	HP:30kg/cm² OFF MP:16kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	-



SAAB

Model: 1152A

Saab

OE	9627159
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² OFF MP:15kg/cm² ON LP:2.0kg/cm² OFF
Refrigerant	-



SUZUKI

Model: 1052

Suzuki / Denso 1940

OE	-
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² LP:2.1kg/cm²
Refrigerant	R-12 R-134a




TOYOTA

Model: 1044A 1044B 1044C

Toyota

OE	-
Thread	3/8-24 UNF Male
Pressure	HP (A):27kg/cm² OFF HP (B):32kg/cm² OFF HP (C):30kg/cm² OFF LP:2.0kg/cm² OFF
Refrigerant	R-12 R-134a



TOYOTA

Model: 1049

Toyota

OE	88645-22050 D1970
Thread	3/8-24 UNF Male
Pressure	ON:15.5kg/cm² OFF OFF:12.5kg/cm² OFF(DIFF)
Refrigerant	R-134a



TOYOTA

Model: 1066

Toyota

OE	88645-60020
Thread	3/8-24 UNF Male
Pressure	HP:27kg/cm² OFF MP:13.5kg/cm² ON LP:2.1kg/cm² OFF
Refrigerant	HFC-R-134a



TOYOTA

Model: 1068

Toyota

OE	88645-60010
Thread	3/8-24 UNF Male
Pressure	HP:29kg/cm² OFF MP:13.5kg/cm² ON LP:2.1kg/cm² OFF
Refrigerant	HFC-R-134a



TOYOTA

Model: 1069

Toyota

OE	88645-50010-113440-2110
Thread	3/8-24 UNF Male
Pressure	HP:2.65kg/cm² OFF MP:1.32kg/cm² OFF LP:0.206kg/cm² OFF
Refrigerant	-



TOYOTA

Model: 1121

Toyota

OE	88645-32020
Thread	3/8-24 UNF Male
Pressure	OFF:15.5kg/cm² ON:12.5kg/cm²
Refrigerant	-



TOYOTA

Model: 1168

Toyota

OE	88645-14010
Thread	3/8-24 UNF Male
Pressure	ON:15.5kg/cm² OFF:12.5kg/cm²
Refrigerant	-



TOYOTA

Model: 1046 1046A

Toyota Corona

OE	88645-10030 Denso 1660 Male
Thread	3/8-24 UNF Male
Pressure	OFF:15.5kg/cm² ON:12.5kg/cm² OFF:14.0kg/cm² ON:11.5kg/cm²
Refrigerant	R-12 R-134a



VOLKSWAGEN

Model: 1116C

VW(Passat)III Vento II Goif II

OE	357-959-139B
Thread	7/16-20 UNF Female
Pressure	HP:32kg/cm² OFF MP:16kg/cm² ON LP:1.2kg/cm² OFF
Refrigerant	-




VOLVO

Model: 1084F

Volvo 93-95

OE	6841190;6848534
Thread	M12-P1.5 Female
Pressure	OFF:29.0kg/cm² ON:19.0kg/cm²
Refrigerant	R-134a



VOLVO

Model: 1086

Volvo 940/960(1993)850

OE	1343216;9144340
Thread	M12-P1.5 Female
Pressure	ON:3.1kg/cm² OFF:1.7kg/cm²(DIFF)
Refrigerant	R-134a



VOLVO

Model: 1084A

Volvo(93-95)940/960

OE	6841188;6848532
Thread	M12-P1.5 Female
Pressure	ON:19.0kg/cm² OFF:14.0kg/cm²
Refrigerant	R-134a




VOLVO

Model: 1084C

Volvo(93-95)940/960 Used on fan

OE	6841189;6848533
Thread	M12-P1.5 Female
Pressure	ON:23.5kg/cm ² OFF:18.5kg/cm ²
Refrigerant	R-134a




VOLVO

Model: 1085A

Volvo940/960(1993)

OE	3537866;6849313
Thread	7/16-20 UNF Female
Pressure	ON:3.1kg/cm ² OFF:1.7kg/cm ² (DIFF)
Refrigerant	R-12





VOLVO

Model: 1084B

Volvo>92

OE	6848107
Thread	7/16-20 UNF Female
Pressure	ON:20.5kg/cm ² OFF:15.5kg/cm ²
Refrigerant	R-12




VOLVO

Model: 1084D

Volvo>92

OE	6848106
Thread	7/16-20 UNF Female
Pressure	ON:15.5kg/cm ² OFF:10.5kg/cm ²
Refrigerant	R-12




VOLVO

Model: 1084E

Volvo>92

OE	6848108
Thread	7/16-20 UNF Female
Pressure	OFF:28.5kg/cm ² ON:18.5kg/cm ²
Refrigerant	R-12



VOLVO

Model: 1085B

Volvo>92

OE	3537506
Thread	M12-P1.5 Female
Pressure	ON:3.1kg/cm ² OFF:1.7kg/cm ² (DIFF)
Refrigerant	R-134a

Please contact us to receive the complete catalog.



☎ +86-519-89882680

☎ +86 18915027366

📍 Shimao Plaza, Xinbei District, Changzhou, Jiangsu, China 213022

🌐 www.elecduraparts.com

✉ info@elecduraparts.com



📞 Contact Us